

	Hits	Search Text	DBs
1	464	DTE and DCE	USPAT
2	231	(DTE and DCE) and clock	USPAT
3	0	((DTE and DCE) and clock) and sample ADJ enable	USPAT
4	76	((DTE and DCE) and clock) and sample	USPAT
5	24	((((DTE and DCE) and clock) and sample) and comparator	USPAT
6	0	(DTE and DCE) and data ADJ latch	USPAT
7	0	(DTE and DCE) and (data ADJ latch)	USPAT
8	0	(DTE and DCE) and (data and latch)	USPAT
9	138250	(DTE and DCE) and data latch	USPAT
10	138250	(DTE and DCE) AND data latch	USPAT
11	0	(DTE and DCE) AND (data latch)	USPAT
12	553967	dce multiple clocks	USPAT
13	97	dce and multiple and clocks	USPAT
14	N/A	(dce and multiple and clocks) and compar\$	USPAT
15	39	((dce and multiple and clocks) and compar\$) and dte	USPAT
16	1	villarosa.in.	USPAT
17	45	studebaker.in.	USPAT
18	1	studebaker-m\$.in.	USPAT
19	0	(dce adj clock) and (master adj clock)	USPAT
20	121	(dce and clock) and (master and clock)	USPAT
21	35	((dce and clock) and (master and clock)) and compare	USPAT
22	6	dce adj clock	USPAT
23	654	375/354.ccls.	USPAT
24	6	375/354.ccls. and dce	USPAT
25	N/A	clock and compar\$	USPAT
26	290	(clock and compar\$) and dce	USPAT
27	N/A	((clock and compar\$) and dce) and sample\$	USPAT
28	78	((((clock and compar\$) and dce) and sample\$) and dte	USPAT
29	19	(((((clock and compar\$) and dce) and sample\$) and dte) and master	USPAT
30	202	((clock and compar\$) and dce) and multiple	USPAT
31	118	((((clock and compar\$) and dce) and multiple) and dte	USPAT

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>32</b>	<b>87</b>	<b>"I32" and transition</b>	<b>USPAT</b>
<b>33</b>	<b>43</b>	<b>(((((clock and compar\$) and dce) and multiple) and dte) and transition</b>	<b>USPAT</b>
<b>34</b>	<b>N/A</b>	<b>(((((invert\$3 adj clock and compar\$) and dce) and multiple) and dte) and transition)</b>	<b>USPAT</b>
<b>35</b>	<b>N/A</b>	<b>(((((invert\$3 adj clock and select\$) and dce) and multiple) and dte) and transition)</b>	<b>USPAT</b>
<b>36</b>	<b>N/A</b>	<b>(((((invert\$3 adj clock adj select\$) and dce) and multiple) and dte) and transition)</b>	<b>USPAT</b>
<b>37</b>	<b>N/A</b>	<b>(((((invert\$3 adj clock adj (select\$ or cho\$)) and dce) and multiple) and dte) and transition)</b>	<b>USPAT</b>
<b>38</b>	<b>N/A</b>	<b>(((((invert\$3 adj clock adj (select\$ or choice\$ or choose\$)) and dce) and multiple) and dte) and transition)</b>	<b>USPAT</b>
<b>39</b>	<b>655</b>	<b>375/354.ccls.</b>	<b>USPAT</b>
<b>40</b>	<b>140</b>	<b>375/360.ccls.</b>	<b>USPAT</b>
<b>41</b>	<b>23</b>	<b>375/354.ccls. and 375/355.ccls.</b>	<b>USPAT</b>
<b>42</b>	<b>1</b>	<b>375/360.ccls. and dce</b>	<b>USPAT</b>
<b>43</b>	<b>6</b>	<b>375/354.ccls. and dce</b>	<b>USPAT</b>
<b>44</b>	<b>0</b>	<b>375/354.ccls. and 375/355.ccls. and dce</b>	<b>USPAT</b>
<b>45</b>	<b>20</b>	<b>375/354.ccls. and 375/355.ccls. and clock</b>	<b>USPAT</b>
<b>46</b>	<b>N/A</b>	<b>375/354.ccls. and 375/355.ccls. and clock and invert\$</b>	<b>USPAT</b>
<b>47</b>	<b>506</b>	<b>375/356.ccls.</b>	<b>USPAT</b>
<b>48</b>	<b>N/A</b>	<b>375/356.ccls. and clock and invert\$ and dce</b>	<b>USPAT</b>
<b>49</b>	<b>N/A</b>	<b>375/356.ccls. and clock and invert\$</b>	<b>USPAT</b>
<b>50</b>	<b>N/A</b>	<b>375/356.ccls. and clock and invert\$ and dte</b>	<b>USPAT</b>
<b>51</b>	<b>N/A</b>	<b>375/356.ccls. and clock and invert\$ and select\$</b>	<b>USPAT</b>
<b>52</b>	<b>N/A</b>	<b>375/356.ccls. and clock and invert\$ and select\$ and transisition</b>	<b>USPAT</b>
<b>53</b>	<b>92</b>	<b>375/226.ccls.</b>	<b>USPAT</b>
<b>54</b>	<b>0</b>	<b>375/226.ccls. and dce</b>	<b>USPAT</b>
<b>55</b>	<b>N/A</b>	<b>375/226.ccls. and invert\$</b>	<b>USPAT</b>

	Hits	Search Text	DBs
56	N/A	375/356.ccls. and clock and invert\$ and (select\$ or mux or multiplex\$) and transition	USPAT
57	N/A	375/356.ccls. and clock and invert\$ and (mux or multiplex\$) and transition	USPAT
58	594	370/503.ccls.	USPAT
59	10	370/503.ccls. and 370/507.ccls.	USPAT
60	384	370/516.ccls.	USPAT
61	26	370/516.ccls. and 370/503.ccls.	USPAT
62	5	"327"/\$.ccls. and dce and clock	USPAT
63	3	"5870446".URPN.	USPAT
64	0	"6115437".URPN.	USPAT
65	0	"6115437".URPN.	USPAT
66	0	"6240523".URPN.	USPAT
67	N/A	DTE and DCE and clock near1 invert\$	USPAT
68	N/A	DTE and DCE and (clock near1 invert\$)	USPAT
69	N/A	clock near1 invert\$	USPAT
70	N/A	(clock near1 invert\$) and (multiplex\$ or select\$)	USPAT
71	991	((clock near1 invert\$) and (multiplex\$ or select\$)) and transition\$	USPAT
72	10	((((clock near1 invert\$) and (multiplex\$ or select\$)) and transition\$) and dte	USPAT
73	N/A	((clk or clock) near1 (inv or invert\$)) and (multiplex\$ or select\$ or choose\$ or choice\$) and transition\$ and communica\$	USPAT
74	N/A	((clk or clock) near1 (inv or invert\$)) and (multiplex\$ or select\$ or choose\$ or choice\$) and transition\$ and dce	USPAT
75	189	((((clk or clock) near1 (inv or invert\$)) and (multiplex\$ or select\$ or choose\$ or choice\$) and transition\$ and communica\$) and master	USPAT
76	37	(((((clk or clock) near1 (inv or invert\$)) and (multiplex\$ or select\$ or choose\$ or choice\$) and transition\$ and communica\$) and master) and compare	USPAT
77	N/A	multiplex\$ and clock and invert\$ adj clock and inputs	USPAT

	Hits	Search Text	DBs
78	N/A	multiplex\$ and clock and invert\$ adj clock and inputs and "375"/\$.ccls.	USPAT
79	1	"4853653".PN.	USPAT
80	1	"4855616".PN.	USPAT
81	1	"4970405".PN.	USPAT
82	1	"5045714".PN.	USPAT
83	1	"5231389".PN.	USPAT
84	1	"5237573".PN.	USPAT
85	1	"5418407".PN.	USPAT
86	1	"5648964".PN.	USPAT
87	N/A	(clock or clk) and ((inv\$ adj (clk or clock)) or ((clk or clock) adj inv\$))	USPAT
88	42	((clock or clk) and ((inv\$ adj (clk or clock)) or ((clk or clock) adj inv\$))) and master	USPAT
89	2462427	choose between clock and inverted clock	USPAT
90	0	choose adj between adj clock and inverted adj clock	USPAT
91	N/A	((clock or clk) and ((inv\$ adj (clk or clock)) or ((clk or clock) adj inv\$))) and master	USPAT
92	N/A	((clock or clk) and ((inv\$ adj (clk or clock)) or ((clk or clock) adj inv\$))) and master) and (@ad<"19980923" or @rlad<"19980923")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	565	((clock or clk) and (((invert or inversion or inverted or inverts) adj (clk or clock)) or ((clk or clock) adj (invert or inversion or inverted or inverts)))) and master) and (@ad<"19980923" or @rlad<"19980923")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	0	((clock or clk) and (((invert or inversion or inverted or inverts) adj (clk or clock)) or ((clk or clock) adj (invert or inversion or inverted or inverts)))) and master) and (dce and dte) and (@ad<"19980923" or @rlad<"19980923")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
95	7	((clock or clk) and (((invert or inversion or inverted or inverts) adj (clk or clock)) or ((clk or clock) adj (invert or inversion or inverted or inverts)))) and master) and (dce or dte) and (@ad<"19980923" or @rlad<"19980923")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	19	((clock or clk) with (((invert or inversion or inverted or inverts) ) or ((clk or clock) with (invert or inversion or inverted or inverts)))) and master) and (dce or dte) and (@ad<"19980923" or @rlad<"19980923")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	28	((clock or clk) with (((invert or inversion or inverted or inverts) ) or ((clk or clock) with (invert or inversion or inverted or inverts)))) and master) with (select or choose) and (@ad<"19980923" or @rlad<"19980923")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	3	"5870446".URPN.	USPAT
99	655	clocks and master and integer and multiple and (frequencies or phases) and (comparator or compare) and (@rlad<"19980923" or @ad<"19980923")	USPAT; EPO; JPO; DERWENT; IBM_TDB
100	88	clocks and master and integer and multiple and (frequencies or phases) and (comparator or compare) and (@rlad<"19980923" or @ad<"19980923") and (375/???.ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB
101	3	clocks and master and integer and multiple and (frequencies or phases) and (comparator or compare) and (@rlad<"19980923" or @ad<"19980923") and (375/???.ccls.) and DCE and DTE	USPAT; EPO; JPO; DERWENT; IBM_TDB
102	3	clocks and master and (integer with multiple with clock with (frequencies or phases)) and (comparator or compare) and (@rlad<"19980923" or @ad<"19980923")	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
103	0	clocks and master and (integer with multiple with clock with (frequencies or phases)) and (comparator or compare) and (@rlad< "19980923" or @ad< "19980923") and DCE and DTE	USPAT; EPO; JPO; DERWENT; IBM_TDB
104	0	clocks and master and (integer with multiple with clock with (frequencies or phases)) and (comparator or compare) and (@rlad< "19980923" or @ad< "19980923") and (DCE or DTE)	USPAT; EPO; JPO; DERWENT; IBM_TDB
105	0	(clocks with invert with error) and (integer same multiple same clock and (frequency or frequencies or phase or phases)) and (@rlad< "19980923" or @ad< "19980923")	USPAT; EPO; JPO; DERWENT; IBM_TDB
106	0	(clocks with invert with error) and (integer same multiple same clock) and (frequency or frequencies or phase or phases) and (@rlad< "19980923" or @ad< "19980923")	USPAT; EPO; JPO; DERWENT; IBM_TDB
107	0	(clocks with invert with error) and (integer same multiple same clock) and (@rlad< "19980923" or @ad< "19980923")	USPAT; EPO; JPO; DERWENT; IBM_TDB
108	0	(clocks with invert with error) and (@rlad< "19980923" or @ad< "19980923")	USPAT; EPO; JPO; DERWENT; IBM_TDB
109	44	(clock with invert same error) and (@rlad< "19980923" or @ad< "19980923")	USPAT; EPO; JPO; DERWENT; IBM_TDB
110	1	(clock with invert same error) and (integer same multiple same clock) and (@rlad< "19980923" or @ad< "19980923")	USPAT; EPO; JPO; DERWENT; IBM_TDB
111	15	(clock with invert) and (integer same multiple same clock) and (@rlad< "19980923" or @ad< "19980923")	USPAT; EPO; JPO; DERWENT; IBM_TDB
112	14	(clock with invert) and (integer same multiple same clock) and (@ad< "19980923")	USPAT; EPO; JPO; DERWENT; IBM_TDB
113	16	"4965797".URPN.	USPAT

	Hits	Search Text	DBs
114	3	("4759018"   "4791488"   "4837763").PN.	USPAT
115	16	"4965797".URPN.	USPAT
116	4	"5526361".pn. or "5768283".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
117	684	modem and clock\$5 and (data adj latch) and ad<"19980923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
118	582	modem and clock\$5 and (data adj latch) and compar\$10 and ad<"19980923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
119	4	modem\$5 and clock\$5 and (data adj latch) and compar\$10 and dte and dce and ad<"19980923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
120	2694	modem\$5 and (clock\$5 with (fraction\$10 or "1/2" or hal\$2 or "1/4" or quarter\$2 or "1/8" or eighth\$2 or "2/3" or "1/3" or third\$2)) and data and compar\$10 and ad<"19980923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
121	3	modem\$5 and (clock\$5 with (fraction\$10 or "1/2" or hal\$2 or "1/4" or quarter\$2 or "1/8" or eighth\$2 or "2/3" or "1/3" or third\$2))and (data adj latch) and compar\$10 and dte and dce and ad<"19980923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
122	3	modem\$5 and (clock\$5 with (fraction\$10 or "1/2" or hal\$2 or "1/4" or quarter\$2 or "1/8" or eighth\$2 or "2/3" or "1/3" or third\$2)) and (data adj latch) and compar\$10 and dte and dce and ad<"19980923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
123	239	modem and (clock\$5 with (fraction\$10 or "1/2" or hal\$2 or "1/4" or quarter\$2 or "1/8" or eighth\$2 or "2/3" or "1/3" or third\$2)) and (data adj latch) and ad<"19980923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
124	172	modem and (clock\$5 with (fraction\$10 or "1/2" or hal\$2 or "1/4" or quarter\$2 or "1/8" or eighth\$2 or "2/3" or "1/3" or third\$2)) and (data adj latch) and @ad<"19980923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
125	0	modem and (clock\$5 with (fraction\$10 or "1/2" or hal\$2 or "1/4" or quarter\$2 or "1/8" or eighth\$2 or "2/3" or "1/3" or third\$2)) and (data adj latch) and clock3 and @ad<"19980923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
126	0	modem and (clock\$5 with (fraction\$10 or "1/2" or hal\$2 or "1/4" or quarter\$2 or "1/8" or eighth\$2 or "2/3" or "1/3" or third\$2)) and data and clock3 and @ad<"19980923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
127	1	modem and data and clock3 and @ad<"19980923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
128	49	modem and (clock3 or clk3) and @ad<"19980923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
129	8	(inver\$5 near2 clock\$5 near2 (data or information\$2) near2 (chang\$5 or differen\$5 or compar\$5)) and @ad<"19980923"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
130	0	(inver\$5 near2 clock\$5 near2 when near2 (data or information\$2) near2 (chang\$5 or differen\$5)) and @ad<"19980923"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
131	30	(US-4481648-\$ or US-4521879-\$ or US-4965797-\$ or US-5263173-\$ or US-5270687-\$ or US-5287100-\$ or US-5293468-\$ or US-5309551-\$ or US-5327159-\$ or US-5341470-\$ or US-5400057-\$ or US-5479455-\$ or US-5517638-\$ or US-5526361-\$ or US-5590134-\$ or US-5642069-\$ or US-5654988-\$ or US-5717697-\$ or US-5726651-\$ or US-5768283-\$ or US-5796792-\$ or US-5799048-\$ or US-5811995-\$ or US-5870446-\$ or US-5889435-\$ or US-5903616-\$).did. or (US-5923455-\$ or US-6107855-\$ or US-6115437-\$ or US-6232955-\$).did.	USPAT
132	30	S103 and inver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB



	Hits	Search Text	DBs
133	0	(inver\$5 near2 clock\$5 near2 (when or bas\$5 or due) near2 (data or information\$2) near2 (chang\$5 or differen\$5)) and @ad<"19980923"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
134	0	(inver\$5 near2 clock\$5 near2 (when or bas\$5 or due) near2 (chang\$5 or differen\$5) near2 (data or information\$2)) and @ad<"19980923"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
135	10475	(inver\$5 near2 clock\$5) and @ad<"19980923"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
136	147	(inver\$5 near2 clock\$5) same ((chang\$5 or differen\$5) near2 (data or information\$2)) and @ad<"19980923"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
137	2	S108 and (dte or dce)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
138	234	(inver\$5 near2 clock\$5) same ((chang\$5 or differen\$5 or compar\$5) near2 (data or information\$2)) and @ad<"19980923"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
139	3	S110 and (dte or dce or modem)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
140	3	((inver\$5 near2 clock\$5) same ((chang\$5 or differen\$5 or compar\$5) near2 (data or information\$2))) and (modem or dte or dce) and @ad<"19980923"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
141	52	((inver\$5 near2 clock\$5) same ((chang\$5 or differen\$5 or compar\$5) near2 (data or information\$2))) and (modem or dte or dce or communica\$10) and @ad<"19980923"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
142	22	("5384564").URPN.	USPAT
143	14	("3783384"   "4398192"   "4419765"   "4506386"   "4523332"   "4652875"   "4668949"   "4804954"   "4996526"   "5077758"   "5109530"   "5144296"   "5227777"   "5233344").PN.	US-PGPUB; USPAT; USOCR

	Hits	Search Text	DBs
144	44	(375/354, 375/355, 375/360, 375/356, 375/226, 375/224, 375/227, 375/228, 375/365, 375/368, 375/377, 370/503, 370/507, 370/516).ccls. and (inver\$5 near2 clock\$2 near6 (data or information\$5)) and @ad<"19980923"	USPAT
145	2	(375/354, 375/355, 375/360, 375/356, 375/226, 375/224, 375/227, 375/228, 375/365, 375/368, 375/377, 370/503, 370/507, 370/516).ccls. and (inver\$5 near2 clock\$2 near6 ((chang\$5 or differen\$5 or compar\$5) near2 (data or information\$2))) and @ad<"19980923"	USPAT
146	2	(375/354, 375/355, 375/360, 375/356, 375/226, 375/224, 375/227, 375/228, 375/365, 375/368, 375/377, 375/219, 375/222, 370/503, 370/507, 370/516).ccls. and (inver\$5 near2 clock\$2 near6 ((chang\$5 or differen\$5 or compar\$5) near2 (data or information\$2))) and @ad<"19980923"	USPAT